EU MDR Certified Medical Device Regulation

SILVER LINE

MAXILLAR APNEIA SOLUTION

DELPHOS Implants

Embracing Life™

MAXILLAR HYBRID

1,6 + 2,0 SYSTEM

DELPHOS PLATES AND SCREWS ARE MANUFACTURED IN TITANIUM



1,6 + 2,0 mm

Hybrid Silver Plate 1,6 and 2,0mm - 0,8mm thickness

Placa Silver Hybrid 1,6 e 2,0 mm - esp. 0,8mm
Plaque Silver Hybrid 1,6 et 2,0 mm - ép. 0,8mm
Placa Silver Hybrid 1,6 y 2,0 mm - esp. 0,8mm

reference	thickness	step	type	dimensions
DSL-0831-81		0 mm	right	
DSL-0833-81		0 mm	left	
DSL-0841-81		2 mm	right	
DSL-0843-81		2 mm	left	
DSL-0845-81		3 mm	right	
DSL-0847-81		3 mm	left	
DSL-0851-81		4 mm	right	
DSL-0853-81		4 mm	left	
DSL-0855-81		5 mm	right	
DSL-0857-81		5 mm	left	
DSL-0861-81		6 mm	right	
DSL-0863-81	0,8 mm	6 mm	left	30 x 26 mm
DSL-0865-81		7 mm	right	
DSL-0867-81		7 mm	left	
DSL-0871-81		8 mm	right	
DSL-0873-81		8 mm	left	
DSL-0875-81		9 mm	right	
DSL-0877-81		9 mm	left	
DSL-0881-81		10 mm	right	
DSL-0883-81		10 mm	left	
DSL-0885-81		11 mm	right	
DSL-0887-81		11 mm	left	
DSL-0891-81		12 mm	right	
DSL-0893-81		12 mm	left	





2,0 mm

DELPHOS PLATES AND SCREWS ARE MANUFACTURED IN TITANIUM

Straight Silver Plate 2,0mm 2 holes- 0,8mm thickness
Placa Silver Reta 2,0mm 2 furos - esp. 0,8mm
Plaque Silver Droite 2,0mm 2 trous - ép. 0,8mm
Placa Silver Reta 2,0mm 2 agujeros - esp. 0,8mm

	reference	thickness	bridge	holes	dimensions
	DSL-0821-50	0,8 mm	2 mm	2	9,4 x 3,7 mm
	DSL-0824-50		5 mm	2	13,4 x 3,7 mm
	DSL-0826-50		10 mm	2	17,5 x 3,7 mm

Straight Silver Plate 2,0mm - 1,0mm thickness
Placa Silver Reta 2,0mm - esp. 1,0mm
Plaque Silver Droite 2,0mm - ép. 1,0mm
Placa Silver Reta 2,0mm - esp. 1,0mm

	reference	thickness	bridge	holes	dimensions
	DSL-1004-61	1,0 mm	6 mm	4	24,4 x 5 mm
	DSL-1008-61		-	8	46,3 x 5 mm
	DSL-1018-61		-	18	105,3 x 5 mm



Straight Silver Plate 2,0mm 4 holes - 1,0mm thickness
Placa Silver Reta 2,0mm 4 furos - esp. 1,0mm
Plaque Silver Droite 2,0mm 4 trous - ép. 1,0mm
Placa Silver Reta 2,0mm 4 agujeros - esp. 1,0mm

	reference	thickness	bridge	holes	dimensions
	DSL-1000-60	1,0 mm	-	4	22,7 x 5 mm
	DSL-1010-60		8 mm		28 x 5,1 mm
	DSL-1020-60		12 mm		32,1 x 5,1 mm
	DSL-1030-60		15 mm		35 x 5,1 mm
	DSL-1040-60		18 mm		38 x 5,1 mm
	DSL-1050-60		22 mm		41 x 5,1 mm
	DSL-1060-60		25 mm		44 x 5,1 mm

DELPHOS Implants
Embracing Life™

1,6 + 2,0 mm

DA-0019-800
rotatory axis
for system 1,6 & 2,0 mm

SK-0016-800
for screws Ø 1,6 mm

SK-0020-800
for screws Ø 2,0 mm

Screwdriver & 1,6 + 2,0 mm Screwdriver blades
Cabo de chave e Lâminas 1,6 e 2,0 mm
Manche et Lame de Tournevis 1,6 et 2,0 mm
Destornillador y Hojas de destornillador 1,6 y 2,0 mm

Drills 1,6 mm system - with Stop
Brocas sistema 1,6 mm - com Stop
Foret systeme 1,6 mm - avec Stop
Taladro sistema 1,6 mm - con Stop

reference	diameter	stop
SK-1304-815		4 mm
SK-1305-815	Ø 1,3 mm	5 mm
SK-1308-815		8 mm
SK-1315-815		15 mm

Drills 2,0 mm system - with Stop
Brocas sistema 2,0 mm - com Stop
Foret systeme 2,0 mm - avec Stop
Taladro sistema 2,0 mm - con Stop

reference	diameter	stop
SK-1505-815		5 mm
SK-1507-815		7 mm
SK-1510-815	Ø 1,5 mm	10 mm
SK-1520-815		20 mm
SK-0220-815		20 mm

SCREWS

Ø 1,6 mm

Self-drilling Hybrid Screw 1,6 mm
Parafuso 1,6 mm autoperfurante híbrido
Vis 1,6 mm hybride autoforante
Tornillo 1,6 mm hybrid autoperforante

reference	length
DT5-1604-275	4 mm
DT5-1605-275	5 mm
DT5-1606-275	6 mm
DT5-1608-275	8 mm
DT5-1610-275	10 mm
DT5-1612-275	12 mm
DT5-1614-275	14 mm

Ø 1,9 mm

Emergency Self-Tapping Screw 1,9 mm
Parafuso Emergency 1,9 mm Autorroscante
Vis 1,9 mm Autotaraudante Emergency
Tornillo Emergency 1,9 mm Autorroscante

reference	length
DT5-1905-261	5 mm
DT5-1906-261	6 mm
DT5-1908-261	8 mm

Ø 2,0 mm

Self-drilling Hybrid Screw 2,0 mm
Parafuso 2,0 mm autoperfurante híbrido
Vis 2,0 mm hybride autoforante
Tornillo 2,0 mm hybrid autoperforante

reference	length
DT5-2004-275	4 mm
DT5-2005-275	5 mm
DT5-2006-275	6 mm
DT5-2008-275	8 mm
DT5-2010-275	10 mm
DT5-2012-275	12 mm
DT5-2014-275	14 mm
DT5-2016-275	16 mm

Ø 2,3 mm

Emergency Self-Tapping Screw 2,3 mm
Parafuso Emergency 2,3 mm Autorroscante
Vis 2,3 mm Autotaraudante Emergency
Tornillo emergency 2,3 mm Autorroscante

reference	length
DT5-2305-261	5 mm
DT5-2306-261	6 mm
DT5-2308-261	8 mm
DT5-2310-261	10 mm

Maxillary Tray for Hybrid Plates
DASL-2081-801
Bandeja Maxilar para Placas Hybrid
Container Maxillar pour Plaques Hybrid
Bandeja Maxilar para Placas Hybrid

(tray sold empty)

DELPHOS Implants
Embracing Life™

MAXILLAR STAR

2,0 SYSTEM

DELPHOS PLATES AND SCREWS ARE MANUFACTURED IN TITANIUM

Star Silver Plate 2,0mm - 0,8mm thickness

Placa Silver Star 2,0 mm - esp. 0,8mm
Plaque Silver Star 2,0 mm - ép. 0,8mm
Placa Silver Star 2,0 mm - esp. 0,8mm

2,0 mm



SYMMETRIC



LEFT



RIGHT



reference	thickness	step	type	dimensions
DSL-0800-50		0 mm	symmetric	34 x 25 mm
DSL-0805-50		0 mm	right	39 x 26 mm
DSL-0807-50		0 mm	left	39 x 26 mm
DSL-0810-50		3 mm	symmetric	34 x 25 mm
DSL-0815-50		3 mm	right	39 x 26 mm
DSL-0817-50		3 mm	left	39 x 26 mm
DSL-0820-50		5 mm	symmetric	34 x 25 mm
DSL-0825-50		5 mm	right	39 x 26 mm
DSL-0827-50		5 mm	left	39 x 26 mm
DSL-0830-50	0,8 mm	7 mm	symmetric	34 x 25 mm
DSL-0835-50		7 mm	right	39 x 26 mm
DSL-0837-50		7 mm	left	39 x 26 mm
DSL-0840-50		9 mm	symmetric	34 x 25 mm
DSL-0845-50		9 mm	right	39 x 26 mm
DSL-0847-50		9 mm	left	39 x 26 mm
DSL-0850-50		11 mm	symmetric	34 x 25 mm
DSL-0855-50		11 mm	right	39 x 26 mm
DSL-0857-50		11 mm	left	39 x 26 mm

2,0 mm

DELPHOS PLATES AND SCREWS ARE MANUFACTURED IN TITANIUM

Straight Silver Plate 2,0mm 2 holes- 0,8mm thickness

Placa Silver Reta 2,0mm 2 furos - esp. 0,8mm
Plaque Silver Droite 2,0mm 2 trous - ép. 0,8mm
Placa Silver Reta 2,0mm 2 agujeros - esp. 0,8mm

	reference	thickness	bridge	holes	dimensions
	DSL-0821-50	0,8 mm	2 mm	2	9,4 x 3,7 mm
	DSL-0824-50		5 mm	2	13,4 x 3,7 mm
	DSL-0826-50		10 mm	2	17,5 x 3,7 mm

Straight Silver Plate 2,0mm - 1,0mm thickness

Placa Silver Reta 2,0mm - esp. 1,0mm
Plaque Silver Droite 2,0mm - ép. 1,0mm
Placa Silver Reta 2,0mm - esp. 1,0mm

	reference	thickness	bridge	holes	dimensions
	DSL-1004-61	1,0 mm	6 mm	4	24,4 x 5 mm
	DSL-1008-61		-	8	46,3 x 5 mm
	DSL-1018-61		-	18	105,3 x 5 mm



Straight Silver Plate 2,0mm 4 holes - 1,0mm thickness

Placa Silver Reta 2,0mm 4 furos - esp. 1,0mm
Plaque Silver Droite 2,0mm 4 trous - ép. 1,0mm
Placa Silver Reta 2,0mm 4 agujeros - esp. 1,0mm

	reference	thickness	bridge	holes	dimensions
	DSL-1000-60	1,0 mm	-	4	22,7 x 5 mm
	DSL-1010-60		8 mm		28 x 5,1 mm
	DSL-1020-60		12 mm		32,1 x 5,1 mm
	DSL-1030-60		15 mm		35 x 5,1 mm
	DSL-1040-60		18 mm		38 x 5,1 mm
	DSL-1050-60		22 mm		41 x 5,1 mm
	DSL-1060-60		25 mm		44 x 5,1 mm

DELPHOS Implants
Embracing Life™

2,0 mm

DA-0019-800
rotatory axis
for system 1,6 & 2,0 mm



SK-0020-800
for screws Ø 2,0 mm

Screwdriver & 2,0 mm Screwdriver blade
Cabo de chave e Lâmina 2,0 mm
Manche et Lame de Tournevis 2,0 mm
Destornillador y Hoja de destornillador 2,0 mm

Drills 2,0 mm system - with Stop
Brocas sistema 2,0 mm - com Stop
Foret systeme 2,0 mm - avec Stop
Taladro sistema 2,0 mm - con Stop

reference	diameter	stop
SK-1505-815		5 mm
SK-1507-815		7 mm
SK-1510-815	Ø 1,5 mm	10 mm
SK-1520-815		20 mm
SK-0220-815		20 mm

2,0 mm

SCREWS

Ø 2,0 mm

Self-drilling Hybrid Screw 2,0 mm
Parafuso 2,0 mm autoperfurante híbrido
Vis 2,0 mm hybride autoforante
Tornillo 2,0 mm hybrid autoperforante

reference	length
DT5-2004-275	4 mm
DT5-2005-275	5 mm
DT5-2006-275	6 mm
DT5-2008-275	8 mm
DT5-2010-275	10 mm
DT5-2012-275	12 mm
DT5-2014-275	14 mm
DT5-2016-275	16 mm

Ø 2,3 mm

Emergency Self-Tapping Screw 2,3 mm
Parafuso Emergency 2,3 mm Autorroscante
Vis 2,3 mm Autotaraudante Emergency
Tornillo emergency 2,3 mm Autorroscante

reference	length
DT5-2305-261	5 mm
DT5-2306-261	6 mm
DT5-2308-261	8 mm
DT5-2310-261	10 mm

Maxillary Tray for Star Plates
DASL-2050-801
Bandeja Maxilar para Placas Star
Container Maxillar pour Plaques Star
Bandeja Maxilar para Placas Star

(tray sold empty)

DELPHOS Implants
Embracing Life™

INSTRUMENTAL

BASIC SET for all systems

(tray sold empty)

Instrumental Tray System
DA-0000-800
Bandeja de Instrumental
Container d'instrumentation
Bandeja para Instrumental

SK-0030-800
Angled tweezer
Pinça angulada | Precelle | Pinza angulada

SK-0010-800
Depth gauge
Medidor de profundidade | Jauge de profondeur | Medidor de profundidad

SK-2475-800
Diamond file
Lima de diamante | Lime diamantée | Lima de diamante

SK-0050-800

Plate bender plier

Alicate para conformar placas | Pince plaque angle droit | Doblador de placas

SK-0051-800
for 1,6 mm system plates

SK-0040-800
for 2,0 mm system plates

Three head plier

Alicate de 3 cabeças | Pince 3 têtes | Alicate de 3 cabezas

SK-0025-800

Graduated plier

Alicate de ponta longa | Pince à long bec | Alicate de punta larga

SK-0095-800

Cutting plier

Alicate cortador de placas | Pince coupante | Alicate de corte

SK-0013-800

Transbucal handle

Cabo de guia transbucal | Manche de guide transjugal | Cable de guía transbucal

DELPHOS Implants
Embracing Life™

DELPHOS Implants

Embracing Life™

Company certified by
ISO 13485

Delphos Implants, S.A.

Estrada Manuel Correia Lopes,
Parq. Empresarial Progresso, Armazém nº. 5,
2785-126 São Domingos de Rana / Portugal

Tel.: +(351) 211 955 986
delphos@delphosimplants.com.pt
www.delphosimplants.com.pt

Our medical devices have CE Marking under TÜV Rheinland Notified Body, and are subjected to rigorous testing and trials. Delphos QMS comply with all applicable standards requirements of ISO 13485.

Rev. 02 - 16.05.2025